

Rylo

Extraordinary light comfort





B&W law office, Ljubljana, Slovenia / Interior design: AKSL arhitekti / Visualisation: Studio Spacer



B&W law office, Ljubljana, Slovenia / Interior design: AKSL arhitekti / Visualisation: Studio Spacer



Private office, Germany / Visualisation: Studio Spacer



Private club, Dubai, UAE / Visualisation: Render Atelier



Private residence, Italy / Visualisation: Render Atelier


If you don't want to see where the light comes from, this is the solution

Rylo is not a common downlight. With its special optics it provides high visual comfort and generates circular light emission.


It doesn't show off. The light source is hidden and all you can see is pure light with absolutely no glare. It is universal, perfect for all spaces and projects.

DESIGN:

Intra lighting




Family range




RI

1x, 2x, 2x2x, 4x, 8x



RV

1x, 2x, 4x, 8x




C/S

4x, 8x, 10x



T WW

8x, 12x



T

4x, 8x

LUMINAIRE LUMINOUS FLUX:

up to 200 lm/spot

LED COLOUR

927, 930, 935, 940

BEAM ANGLE

22°, 30°, 50°, Asymmetric

GLARE CONTROL

<19

A luminaire for life

Clean, timeless design, high visual comfort, perfect fusion with space and minimalistic looks make it a luminaire you will never get tired of.



Wallwasher Rylo RV WW

Homogenous wall illumination with specific
Bartenbach MDB-W wallwash optics.



Great light comfort

Create a healthier environment with lighting which importantly affects our well-being and mood. Rylo provides low glare and offers high light comfort.



Trim and optical funnel colours

TRIM COLOUR:



FUNNEL COLOUR:






1x, 2x, 4x,
8x, 10x or
12x spot!



Special optic
for the highest
visual comfort


RI
Recessed trim-less



RV
Recessed visible trim



C
Ceiling



T
Track



MULTISPOT

Beam angle	22°, 30°, 50°, Asymmetric
Luminaire luminous flux	up to 200 lm/spot
Glare control	<19
LED colour	927, 930, 935, 940
Driver	Casambi, DALI, FO
Driver position	Remote
Colour	1 2

MULTISPOT

Beam angle	22°, 30°, 50°, Asymmetric
Luminaire luminous flux	up to 160 lm/spot
Glare control	<19
LED colour	927, 930, 935, 940
Driver	Casambi, DALI, FO
Driver position	Remote / Integrated*
Colour	1 2

WALLWASHER

Wallwasher
394 - 1519 lm
-
927, 930, 940
Casambi, DALI, FO
Remote / Integrated

1 2

1 2

1 2